

## High Pressure Laminates

High quality, industry leading designs, available from stock

polyica.com

## High quality, industry leading designs, available from stock



All non metallic decors are available in  $3050 \times 1300 \times 0.7$  mm and suitable for horizontal or vertical grade postforming applications.









P6932 Warm Walnut SUEDE





P5374 Natural Oak SUEDE





PH025 Natural Beech SUEDE




PM100 Polycoated Alu Brush



Scan QR Code to see full sheet

www.polyica.com



HGP= Horizontal Grade Postforming | HGS= Horizontal Grade Standard | VGS= Vertical Grade Standard

LRV - LRVs stated may or may not be exact and are provided for guidance only. For non-solid colour decors, where there are multiple colours across the design, the stated LRV is an average value taken from multiple measurements across the décor and must be used with caution

NC5, RAL & PANTONE - NC5®, RAL & PANTONE Classic notations represent the closest match available in the particular system. They may or may not be exact and are provided for guidance only









polyica.com

Polyica high pressure laminate is manufactured and tested to EN 438 (excluding performance of liner products). | Polyica laminates should be processed and fabricated in accordance with the product specific Technical Guides provided. | Abrasive cleaners should not be used to clean Polyica high pressure laminate as these may damage the surface and result in scratching. | Polyica high pressure laminate should not be used for exterior application, exterior laminate is available on request. Due to variations in the photographic and printing processes the colours shown on our website and printed marketing material may vary compared to the actual product, it is recommended that actual product samples are viewed prior to purchase. | We reserve the right to amend the specification of the products shown without point proting. Subject to modification and errors.